


**E-MOBILITY:
WORK IN A PERFECTLY
PROTECTED WAY** WITH THE
VDE-CERTIFIED
TOOLS FROM WIHA.



wiha 

**THE SPECIALIST
FOR VDE-TOOLS.**



Wiha is one of the world's leading manufacturers of hand tools for professional use in industry and trade. Founded 80 years ago as a family business, the Black Forest company is still owned by the Hahn family.

Wiha has been developing VDE-tested tools for 50 years and is known for the highest quality, functionality, durability and ergonomics of its products. Wiha enables users to work more efficiently, healthily and safely. Benefits that you can now also enjoy in the field of e-mobility.



- + 80 YEARS OF EXPERIENCE IN DEVELOPMENT AND PRODUCTION OF QUALITY TOOLS**
- + THE SPECIALIST FOR VDE-TOOLS**
- + RELIABLE PROTECTION AND SAFETY**
- + MADE BY WIHA**



PROTECTION AND SAFETY FOR E-MOBILITY.



Working on high-voltage systems requires special qualifications, such as certificates of competence for you and your employees. Special tools are indispensable: Anyone who works with non-insulated tools is putting their life in danger! With Wiha you are on the safe side: Tested at 10,000 V AC and approved for 1,000 V AC, you are always working safely with Wiha tools.



- + WORK ON HIGH-VOLTAGE SYSTEMS
REQUIRES SPECIAL TOOLS
- + WORKING WITH NON-INSULATED TOOLS
MEANS DANGER TO LIFE!
- + WIHA TOOLS TESTED AT 10,000 V AC
AND APPROVED FOR 1,000 V AC



CE



CMU 500 kg

Kevin


wiha




THE E-MOBILITY TROLLEY.

Everything an automotive mechanic could desire: The eMobility Trolley includes all Wiha VDE-tools you need for your work on hybrid and electric vehicles. Perfectly organised, it prevents disorder from the beginning. With the fully equipped workshop trolley you always have the right Wiha tool available.


- + ALL NECESSARY TOOLS FOR
HYBRID AND ELECTRIC VEHICLES**
- + COMPLETELY EQUIPPED, PERFECTLY ORGANIZED**
- + INCREASED SAFETY: VDE TEST MARK
IN ADDITION TO DIN EN 60900**




ElectricVario-Set



TorqueVario®-Set



Pliers-Set







































































Spanner-Set I 6-24















Accessoires

Workshop trolley set eMobility

Order-No.	Image	Article	Article-No.
Drawer 1			
–		E-Screwdriver speedE® handlered/yellow welded	
41914		Battery set 18500 Li-Ion (2 units in box)	599001
26626		Torque Screwdriver TorqueVario®-S electric 0,8–5,0 Nm (incl. Adjusting tool and slimBit holder electric)	28723500
41927		Screwdriver SoftFinish® electric slimVario®	283103
41229		Screwdriver SoftFinish® electric slimVario® Stubby	283101
34578		slimBit electric slotted 2,5	283110025
34579		slimBit electric slotted 3,0	283110030
41159		slimBit electric slotted 3,5	283110035
34580		slimBit electric slotted 4,0	283110040
34581		slimBit electric slotted 5,5	283110055
34582		slimBit electric slotted 6,5	283110065
34583		slimBit electric Phillips PH 1	2831111
34584		slimBit electric Phillips PH 2	283 1112
34585		slimBit electric Pozidriv PZ 1	2831121
34586		slimBit electric Pozidriv PZ 2	2831122
35506		slimBit electric Torx® T8	283115008
35507		slimBit electric Torx® T10	283115010
35508		slimBit electric Torx® T15	283115015
35509		slimBit electric Torx® T20	283115020
36071		slimBit electric Torx® T25	283115025
37224		slimBit electric hexagon 2,5	283118025
37147		slimBit electric hexagon 3	283118030
37225		slimBit electric hexagon 4	283118040
37226		slimBit electric hexagon 5	283118050
37227		slimBit electric hexagon 6	283118060
43059		1/4" Insulated extension bar 75mm	246197
43060		1/4" Insulated extension bar 150mm	246198
43139		1/4" Nut adapter slimVario® electric	SB283108
43292		1/4" Adapter for TorqueVario®-S T	SB283107
43128		1/4" Adapter TorqueVario®-S electric	287992
43088		1/4" Insulated Nut Driver Insert International Hexagon 4 x 42 mm	246223
43089		1/4" Insulated Nut Driver Insert International Hexagon 5 x 42 mm	246224
43090		1/4" Insulated Nut Driver Insert International Hexagon 5.5 x 42 mm	246225
43091		1/4" Insulated Nut Driver Insert International Hexagon 6 x 42 mm	246226
43092		1/4" Insulated Nut Driver Insert International Hexagon 7 x 42 mm	246227
43093		1/4" Insulated Nut Driver Insert International Hexagon 8 x 42 mm	246228

Order-No.	Image	Article	Article-No.
43094		1/4" Insulated Nut Driver Insert International Hexagon 9 x 42 mm	246229
43095		1/4" Insulated Nut Driver Insert International Hexagon 10 x 42 mm	246230
43109		1/4" Insulated Nut Driver Insert International Hexagon 3 x 65 mm	246244
43110		1/4" Insulated Nut Driver Insert International Hexagon 4 x 65 mm	246245
43111		1/4" Insulated Nut Driver Insert International Hexagon 5 x 65 mm	246246
43112		1/4" Insulated Nut Driver Insert International Hexagon 6 x 65 mm	246247
43113		1/4" Insulated Nut Driver Insert International Hexagon 8 x 65 mm	246248
38798		Insulated Cable Stripping Knife 200 mm	24680SB
41286		Flashlight with LED, Laser, UV, magnetic base, swivel head	SB24670
Drawer 2			
44163		3/8" Insulated Torque Wrench, 5–25 Nm, 290 mm	246267
44355		Insulated Adapter from 3/8" to 1/4"	283191
43057		3/8" Insulated Extension Bar 125 mm	246195
43058		3/8" Insulated Extension Bar 250 mm	246196
43067		3/8" Insulated Nut Driver 11 x 44 mm	246202
43068		3/8" Insulated Nut Driver 12 x 44 mm	246203
43069		3/8" Insulated Nut Driver 13 x 44 mm	246204
43070		3/8" Insulated Nut Driver 14 x 44 mm	246205
43071		3/8" Insulated Nut Driver 16 x 44 mm	246206
43072		3/8" Insulated Nut Driver 17 x 44 mm	246207
43073		3/8" Insulated Nut Driver 18 x 44 mm	246208
43074		3/8" Insulated Nut Driver 19 x 44 mm	246209
43075		3/8" Insulated Nut Driver 21 x 44 mm	246210
43076		3/8" Insulated Nut Driver 22 x 44 mm	246211
44146		3/8" Deep Nut Driver 8 x 80 mm	246264
44147		3/8" Deep Nut Driver 10 x 80 mm	246265
44148		3/8" Deep Nut Driver 12 x 80 mm	246266
43177		Torque T-handle TorqueVario®-S T electric 5–14 Nm with adjusting tool	293311500
43634		1/4" Insulated Adapter	2837992
38931		Interchangeable electric blade TORX® T15 x 132 mm	283795015
38932		Interchangeable electric blade TORX® T20 x 132 mm	283795020
38933		Interchangeable electric blade TORX® T25 x 132 mm	283795025
38934		Interchangeable electric blade TORX® T27 x 132 mm	283795027

Order-No.	Image	Article	Article-No.
Drawer 3			
37450		Water pump pliers electric 250mm	Z22025006
43340		Diagonal cutters electric 180mm	Z12118006
43662		Cable cutter electric 210mm	Z50321006
26711		Combination pliers electric 200mm	Z01020006
26732		Long flat-nose pliers electric 160mm	Z07016006
26729		Needle nose pliers electric with cutting edge curved shape 200mm	Z05120006
26847		Stripping pliers electric 160mm	Z55016006
35862		Crimping pliers electric 180mm	Z60018006
Drawer 4			
43026		Single, insulated open-end spanner wrench 6mm	246157
43027		Single, insulated open-end spanner wrench 7mm	246158
43028		Single, insulated open-end spanner wrench 8mm	246159
43029		Single, insulated open-end spanner wrench 9mm	246160
43030		Single, insulated open-end spanner wrench 10mm	246161
43031		Single, insulated open-end spanner wrench 11mm	246162
43032		Single, insulated open-end spanner wrench 12mm	246163
43033		Single, insulated open-end spanner wrench 13mm	246164
43034		Single, insulated open-end spanner wrench 14mm	24165
43035		Single, insulated open-end spanner wrench 15mm	246166
43036		Single, insulated open-end spanner wrench 16mm	246167
43037		Single, insulated open-end spanner wrench 17mm	246168
43038		Single, insulated open-end spanner wrench 18mm	246169
43039		Single, insulated open-end spanner wrench 19mm	246170
43040		Single, insulated open-end spanner wrench 22mm	246171
43061		Adjustable spanner electric (0-30mm variable adjustable)	246199

Order-No.	Image	Article	Article-No.
Drawer 5			
44319		Voltage tester 2 pole, CATIV 1000 V	SB25515
44357		Warning sign for electric and hybrid vehicles	246275
EU: 41915 UK: 42766		Charger (speedE®)	599002



THE E-MOBILITY TOOL CASE XL.

Compact, handy, robust: The eMobility Tool Case XL offers all the essentials for working on hybrid and electric vehicles. Wherever you are working: easily transportable thanks to its comfortable shoulder strap, the eMobility Tool Case XL becomes an indispensable companion. Ideal for everyone who needs to be mobile and work on site. Thanks to the well-organised interior of the case, the right tool is always quickly and safely available.

- + ALL ESSENTIAL TOOLS FOR
HYBRID AND ELECTRIC VEHICLES**
- + EASY TO TRANSPORT –
THE E-MOBILITY WORKSHOP FOR EVERYWHERE**
- + INCREASED SAFETY: VDE TEST MARK
IN ADDITION TO DIN EN 60900**



Content:



- ElectricVario-Set
- TorqueVario®-Set
- Pliers-Set



Tool Case Set XL eMobility

Order-No.	Image	Article	Article-No.
37450		Water pump pliers electric, 250 mm	Z22025006
43340		Diagonal cutters electric 180 mm	Z12118006
43662		Cable cutter electric 210 mm	Z50321006
26732		Long flat-nose pliers electric 160 mm	Z07016006
26729		Needle nose pliers electric with cutting edge curved shape 200mm	Z05120006
26711		Combination pliers electric 200 mm	Z01020006
35446		Screwdriver SoftFinish® electric slimFix, Slotted 3,5	3201035100
35390		Screwdriver SoftFinish® electric slimFix, Slotted 4,0	3201040100
35391		Screwdriver SoftFinish® electric slimFix, Slotted 5,5	3201055125
35392		Screwdriver SoftFinish® electric slimFix, Slotted 6,5	3201065125
35393		Screwdriver SoftFinish® electric slimFix, Phillips PH1	32111080
35394		Screwdriver SoftFinish® electric slimFix, Phillips PH2	32112100
36538		Screwdriver SoftFinish® electric slimFix, TORX® T20	3251020
36539		Screwdriver SoftFinish® electric slimFix, TORX® T25	03251025
36540		Screwdriver SoftFinish® electric slimFix, TORX® T27	03251027
36541		Screwdriver SoftFinish® electric slimFix, TORX® T30	03251030
36542		Screwdriver SoftFinish® electric slimFix, TORX® T40	03251040
00858		Screwdriver SoftFinish® electric slimFix, Hex nut driver 7,0	0322070
00859		Screwdriver SoftFinish® electric slimFix, Hex nut driver 8,0	0322080
00861		Screwdriver SoftFinish® electric slimFix, Hex nut driver 10,0	0322100
00864		Screwdriver SoftFinish® electric slimFix, Hex nut driver 13,0	0322130
40674		Torque screwdriver set TorqueVario®-S electric, 0,8-5,0 Nm	2872T13
44163		3/8" Insulated Torque Wrench, 5-25 Nm, 290 mm	246267
43057		3/8" Insulated Extension Bar 125 mm	246195
43058		3/8" Insulated Extension Bar 250 mm	246196

Order-No.	Image	Article	Article-No.
44355		Insulated Adapter from 3/8" to 1/4"	283191
43139		1/4" Nut adapter slimVario® electric	SB283108
43128		1/4" Adapter TorqueVario®-S electric	287992
43088		1/4" Insulated Nut Driver Insert International Hexagon 4 x 42 mm	246223
43089		1/4" Insulated Nut Driver Insert International Hexagon 5 x 42 mm	246224
43090		1/4" Insulated Nut Driver Insert International Hexagon 5.5 x 42 mm	246225
43091		1/4" Insulated Nut Driver Insert International Hexagon 6 x 42 mm	246226
43092		1/4" Insulated Nut Driver Insert International Hexagon 7 x 42 mm	246227
43093		1/4" Insulated Nut Driver Insert International Hexagon 8 x 42 mm	246228
43094		1/4" Insulated Nut Driver Insert International Hexagon 9 x 42 mm	246229
43095		1/4" Insulated Nut Driver Insert International Hexagon 10 x 42 mm	246230
43096		1/4" Insulated Nut Driver Insert International Hexagon 11 x 42 mm	246231
43097		1/4" Insulated Nut Driver Insert International Hexagon 12 x 42 mm	246232
43098		1/4" Insulated Nut Driver Insert International Hexagon 13 x 42 mm	246233
43099		1/4" Insulated Nut Driver Insert International Hexagon 14 x 42 mm	246234
43071		3/8" Insulated Nut Driver Insert International Hexagon 16 x 44 mm	246206
43072		3/8" Insulated Nut Driver Insert International Hexagon 17 x 44 mm	246207
43073		3/8" Insulated Nut Driver Insert International Hexagon 18 x 44 mm	246208
43074		3/8" Insulated Nut Driver Insert International Hexagon 19 x 44 mm	246209
43075		3/8" Insulated Nut Driver Insert International Hexagon 21 x 44 mm	246210
43076		3/8" Insulated Nut Driver Insert International Hexagon 22 x 44 mm	246211
44146		3/8" Insulated Nut Driver Insert International Hexagon 8 x 80 mm	246264
44147		3/8" Insulated Nut Driver Insert International Hexagon 10 x 80 mm	246265
44148		3/8" Insulated Nut Driver Insert International Hexagon 12 x 80 mm	246266
43110		1/4" Insulated Nut Driver Insert International Hexagon 4 x 65 mm	246245
43112		1/4" Insulated Nut Driver Insert International Hexagon 6 x 65 mm	246247
43113		1/4" Insulated Nut Driver Insert International Hexagon 8 x 65 mm	246248
38798		Insulated Cable Stripping Knife 200 mm	24680SB
41286		Flashlight with LED, Laser, UV, magnetic base, swivel head	SB24670

Order-No.	Image	Article	Article-No.
44357		Warning sign for electric and hybrid vehicles	246275
44319		Voltage tester 2 pole, CATIV 1000V	SB25515



wiha 

E-MOBILITY PROFI-TOOLS. VDE-TESTED TOOLS FOR SAFE WORKING.



**THIS IS ABOUT HEALTH
IF NOT MY LIFE – THAT IS
WHY I ONLY USE TOOLS
THAT I CAN RELY ON.**



MAKE YOUR WORKSHOP E-MOBILITY-FIT

WITH THE
VDE-CERTIFIED
TOOLS FROM WIHA.



www.wiha.com/eMobility

Wiha Werkzeuge GmbH
Obertalstraße 3-7
78136 Schonach/Germany
Tel. +49 7722 959-0
www.wiha.com

